

	BF150 automatic	BF150 manual	BF150P	BF200	BF200P	BF380	Main body Chemical tank	BF400	Main body Chemical tank
Starting Method	Fully Automatic	Manual	Fully Automatic	Fully Automatic	Fully Automatic	Fully Automatic		Fully Automatic	Complete remote control
Power Supply	DC12V Rechargeable Battery	DC6V Rechargeable Battery	DC12V Rechargeable Battery	DC12V Rechargeable Battery	DC12V Rechargeable Battery	DC12V Rechargeable Battery		DC12V User's Vehicle Battery	
Dimension (LxWxH)	1,350x220x340mm	1,350x220x340 mm	1,320x270x320 mm	1,350x220x340 mm	1,320x270x320 mm	1,260x260x360mm 325x200x360mm		1,350x710x490mm 1,000x430x390mm	
Weight	8.8 Kg	8.5 Kg	8.6 Kg	9.4 Kg	9 Kg	12.5 kg	10.5 kg 2 kg	57 Kg	35 Kg 22 Kg
Gasoline Tank Capacity	1.8 l	1.8 l	1.5 l	1.8 l	1.5 l	2.8 l		8 l x 2pcs = 16 l	
Gasoline Consumption	1.5 l /hr	1.5 l /hr	1.5 l /hr	1.8 l /hr	1.8 l /hr	3.1 l /hr		1.5 l /hr x 2pcs = 3 l /hr	
Chemical Tank Capacity	8 l	8 l	6 l	8 l	6 l	16 l		100 l	
Chemical Output	40 l /hr	40 l /hr	40 l /hr	50 l /hr	50 l /hr	80 l /hr		85 l /hr	
Chemical Tank Material	Stainless Steel	Stainless Steel	Plastic (Polyethylene)	Stainless Steel	Plastic (Polyethylene)	Plastic (Polyethylene)		Stainless Steel	
Shipping Data (LxWxH)	1,370x250x360mm	1,370x250x360mm	1,370x310x360mm	1,370x250x360mm	1,370x310x360mm	1,380x360x400mm		1,400x760x620mm 1,030x460x420mm	
Shipping Data Weight	13 kg	13 kg	13 kg	14 kg	14 kg	19 kg		80 kg	50 Kg 30 kg

 **SEYOUNG METAL CO., LTD.**

142-18, Sangdong-ro 685 beon-gil, Sangdong-myeon,
Gimhae-si, Gyeongsangnam-do, Korea 50804
Tel: 82-55-345-7873 Fax: 82-55-345-7874
Whatsapp: +821084762110
E- mail: akand1990@kita.net
Website : <http://www.seyoungmetal.com>



We are manufacturing and supplying all kinds of fogging machines.



The Highest Quality Fogging Machine (Thermal Fogger)


BEST FOGGER

The most effective way to use chemicals to control environmental nuisances

For a better environment



BF150 Automatic
Republic of Korea patent Number 66455



BF 400 Truck Mounted



THE BEST QUALITY & CUSTOMER SATISFACTION
SEYOUNG METAL CO., LTD.



BEST FOGGER starts perfectly by pressing the start button.

Smokescreen disinfection and Thermal Fogging disinfection are possible with one machine.

Best Fogger

DETAILS

Best FOGGER, which boasts the best performance, is a fogging machine that disinfects smokescreen, disinfects thermal fogging and radiates flames. BEST FOGGER is an essential machine for sterilizing pests such as flies and mosquitoes in barns, greenhouses, roads, houses and factories.

1) one touch automatic starting system

2) Rust-proof stainless steel construction

3) DC 12V rechargeable battery

BEST FOGGER is the best quarantine and disinfection equipment, and it has achieved a new era in machine quality improvement.


Smokescreen, Thermal Fogging and Flamethrowing are available.

Smokescreen disinfection uses diesel. Thermal Fogging disinfection uses water. Flamethrowing uses petroleum. BEST FOGGER is a multi-purpose fogging machine capable of Smokescreen disinfection, Thermal Fogging disinfection and Flamethrowing.



It is a durable BEST FOGGER.

It can be used semi-permanently by using corrosion-resistant stainless steel for fuel tank and chemical tank.



It hardly ever gets hot.

The discharged gas is cooled twice to prevent the machine from overheating.



It's easy to repair.

All parts are designed to be easily disassembled and assembled, making it easy to repair. The fuel line has been made transparent so that we can know the supply of fuel. The carburetor cleaning knob can also be easily opened, making it easy to determine whether there is an abnormality.



BF200

BF150 Automatic

The battery is rechargeable and it's easy to start.

It's a rechargeable DC 12V battery, so it's easy to start up.



It's easy to start the engine.

It is easy to control air and gasoline by using a powerful DC 12V air pump. So, by pressing the start button, the engine can be started easily.



Smokescreen disinfection in the forest.



Smokescreen disinfection in the warehouse.



Smokescreen disinfection in factories and houses.



Thermal fogging disinfection of crops in a greenhouse




Smokescreen disinfection on roads and residential areas.

Product Photo and Specification



Model		BF 115	BF 105
Dimension (LxWxH)		523x220x227 mm	504x210x236 mm
Shipping data (LxWxH)		540x245x260 mm	540x245x260 mm
Weight		4.7Kg	4.1Kg
Shipping data (Weight)		6.0 Kg	5.7 Kg
Chemical tank capacity		4.9 ℓ	4.4 ℓ
Max. spray distance		10 M	8 M
Chemical output		55 ℓ /Hr	30 ℓ /Hr
Motor	Power	AC 220V, 50/60Hz	DC 18V, 13AH
	Power consumption	1,520 W	300 W
	the number of revolutions	37,000 RPM	49,500 RPM
Battery	Rated voltage	–	DC 18V
	Capacity	–	13 AH
	Using time	–	1 Hr (Max.)
Charger	Rated input	–	AC 220V 50/60 Hz, 1.5A
	Rated output	–	DC 21V, 3A
	Charging time	–	4 Hr

 The new generation in pest control technology
SE YOUNG METAL CO., LTD.
SE YOUNG PLATECH CO., LTD.

142-18, Sangdong-ro 685beon-gil, Sangdong-myeon, Gimhae, Gyeongsangnam-do, Korea 50804
Tel : +82-55-345-7873 Fax : +82-55-345-7874 E-mail : free83@seyoungmetal.com Home page : www.seyoungmetal.com

Highest Performance electric rechargeable ULV Sprayer
(Ultra Low Volume)

BEST FOGGER

ULV Sprayer boasts the best performance



electric ULV Sprayer (BF115)



rechargeable ULV Sprayer (BF105)

The new generation in pest control technology

 SE YOUNG METAL CO., LTD.
SE YOUNG PLATECH CO., LTD.



Office disinfection



Disinfection of greenhouse



Classroom disinfection



Disinfection of cattle shed

Anyone can use it easily with the **one-touch** button.

New products

The BestFogger with the best performance
Indoors such as offices, lecture halls, and concert halls, etc
Outdoors such as apartments, residential areas, livestock farms, orchards, gardens, etc
In disinfecting various pests and germs
It is an indispensable ULV (Ultra Low Volume) Sprayer.

Our
ULV (Ultra Low Volume) Sprayer

- 1) Easy operation with one-touch start method.
- 2) The chemical spray particles fly very finely and far.
- 3) The motor capacity is strong.

It is evaluated as the best quarantine and disinfection equipment.
We have achieved a new era in improving machine quality.



AC motor

The quantity of the chemical spray is very high.

By using a motor with strong output and large amount of wind, the quantity of the chemical spray is very high and the injection range of the chemical is far away. Therefore, it is possible to sterilize a wide and far place even outdoors.



AC Chemical Tank

The chemical tank is clearly visible even in the dark.

An LED lamp is attached to the chemical tank.

So, you can check the remaining amount of chemical in a dark place or during night disinfection.

Also, due to the LED lamp, the main body looks subdued, luxurious, and more sophisticated.



AC switch

Press the button once to spray the chemical.

It is easy to operate using a one-touch switch. There is a 3-step injection amount indicator lamp, so it is very convenient to adjust the chemical. A small amount of chemical in a small space, a large amount of chemical in a large space.

It is operated with just one button, so it is easy to operate.

It is convenient that the chemical is adjusted with a button.

- It is designed to be safe and easy to fix the machine.
- It is equipped with a large-capacity chemical tank, which is advantageous for disinfection and quarantine in a large area for a long time.
- With 3-step speed control, it can be used indoors (schools, hospitals, offices, houses, etc.) and can be used efficiently outdoors (sports facilities, parks, roads, barns, orchards, etc.).



DC motor

The quantity of the chemical spray is very high.

The BLDC motor has excellent durability and performance, so there is no inconvenience even when used for a long time. The BLDC motor has a strong output and a high amount of wind, so it has a high quantity of the chemical spray, and the chemical injection distance is far away, so it can be disinfected outdoors and far away.



DC Battery

The battery has a large capacity and can be used for a long time.

It uses a maximum capacity 18V, 13AH battery. The battery power is very strong and can be used for a long time. There is a battery level indicator lamp, so it is easy to check if it is charged. In addition, it is a removable and attachable battery, so it can be charged in any case.



DC switch

It is easy to spray the chemical with a button, and it is easy to know whether it is charged or not.

It is easy to operate using a one-touch switch. It has a chemical spray control lamp, so it is very convenient to control the chemical. Less the chemical in a small space, more the chemical in a wide space. It has a battery level indicator lamp so you can easily check whether it is charged or not.



Nozzle

The chemical particles are sprayed very finely far away.

The nozzle is divided into 3 parts. So the chemical particles are sprayed very finely and far away. Disassembling and assembling the nozzle is very convenient by unscrewing the nozzle cover.




BF 115
Classroom disinfection



BF 115
Disinfection of indoor high places



BF 115
Tree disinfection



BF 115
Road disinfection




BF 105
Office disinfection



BF 105
Disinfection of indoor high places




BF 105
Tree disinfection



BF 105
Road Disinfection



BF 115
Disinfection of cattle shed



BF 115
Playground disinfection



BF 105
Disinfection of green house



BF 105
Playground disinfection